

**Bundle Specials**
**ALL PRICES INCLUDE VAT & CAN CHANGE WITHOUT NOTICE**
**Games**

BS-081209	<b>R 278.39</b>	SF-GSWEAW + SF-GSWR + SF-GGF + SF-GEFMI - Lucasarts Starwars Racer , PC-CDROM - compact retail pack - Lucasarts Escape From Monkey Island , PC-CDROM - compact retail pack - Lucasarts Grim Fandango , PC-CDROM - compact retail pack - Lucasarts Star Wars Empire At War , PC-CDROM - compact retail pack
-----------	-----------------	--

**ASUS**

BS-090312	<b>R 5,614.16</b>	SY-AEBB202H80 + LC-AVW198T + KE-AKM631 - Asus Eee Box B202 , black - Flexible 1L-sized Energy Efficient Entertainment PC 2.6x22.3x17.8cm / 1.17kg ultra slim size - vertical stand or 75/100mm vesa mountable at back of Lcd - intel Atom N270 ( no VT ) , 1.6GHz single core with hyper threading ( 2 threads ) ( 45nm, 533mhz fsb ; L1 : 64k , L2 : 512k , EIST, EDB ) , 1Gb (2x512) DDR2 , Intel G945SE chipset , GMA950 on-board VGA with DVI or D-sub out , 2.5" 80gb 5400rpm SATA HDD , built-in SDHC/MMC/Mmemory Stick pro card reader + gigabit lan + 802.11 b/g/n wireless + Azalia ALC888 Audio audio with S/PFIF + mic-in/headphone out ; external ac-adapter , bundled vesa mount kit - xp-Home - Asus VW198T , black , 19" Wide , with SPLENDID technology , 2 x 1w speaker , 16850x1050 (WSXGA+) ; brightness- 300cd/m2 ; contrast ratio- 3000:1 , response time- 5ms , with cable management , 100mm vesa-wall mountable - d-sub + Dvi - Asus KM-631 , Black , keyboard (ps2/usb) , 3 button 1000dpi optical mouse ( usb ) \
-----------	-------------------	---

**Lenovo**

BS-090324	<b>R 5,614.16</b>	NB-LNS75ZZA + CB-L43R9113 + NE-DBT122 + OT-UL - Lenovo NS75ZZA thinkpad N500 - with built-in 1.3MP webcam , intel celeron-m 575 2.0GHz ( 65nm , 667fsb ; L1 : 64K , L2 : 1mb , EDB ) , 1Gb DDR2-667 , Intel GM45 chipset , Graphics Media Accelerator 4500MHD ( 384mb UMA ) , with d-sub + displayport + HDMi TV-out , 15.4" Lcd ( 1280x800 WXGA ) , 160gb HDD , super-multi dvd+/-RW DL light-scribe drive , built-in 4-in-1 card reader + no bluetooth + WiFi + 10/100 lan + 56k modem + express card/54 - with windows Vista home basic + Office 2007 Ready ( professional with 60 day free trial ) - Lenovo 43R9113 ThinkPad Basic Case , topload case with foam padded PC compartment , 15.4" - 387x311x111mm - D-Link DBT-122 usb to Bluetooth , support PAN (Personal Area Network ) , range 10m, 128bit encryption, support upto 7 slave device ( pc , notebook , cellphone , printer , PDA ... etc ) - Sv-tech Usb Lock - with 1 key + 4 locks on usb port - to prevent lost of data from usb port for security - ideal for notebook or office PC
BS-090323	<b>R 10,532.35</b>	NB-LNRJ3ZZA + CB-L43R9113 + OT-UL + NB-LA43R9153 - Lenovo NRJ3ZZA thinkpad SL500 - with fingerprint biometrics sensor + built-in 1.3MP webcam , intel Core2-Duo T5670 ( no VT ) , 1.8GHz ( 800fsb ; L1 : 2x 64k , L2 : 2mb , EDB , EIST ) , 2Gb(2x1) DDR2-667/800 , Intel GM45 chipset , Graphics Media Accelerator 4500MHD ( 384mb UMA ) , with d-sub + HDMi TV-out , 15.4" Lcd ( 1280x800 WXGA ) , 160gb HDD , super-multi dvd+/-RW DL light-scribe drive , built-in 7-in-1 card reader , bluetooth + WiFi + gigabit lan + 56k modem + Firewire + pcmcia - with windows Vista business + XP disc for downgrade purpose + Office 2007 Ready ( professional with 60 day free trial ) - Lenovo 43R9113 ThinkPad Basic Case , topload case with foam padded PC compartment , 15.4" - 387x311x111mm - Sv-tech Usb Lock - with 1 key + 4 locks on usb port - to prevent lost of data from usb port for security - ideal for notebook or office PC - Lenovo 43R9153 - HSDPA vodafone 3G module - for T400, T500, SL300, SL400, SL500, X200, W500

**HP**

BS-090321	<b>R 13,669.85</b>	<p>NB-HFU498ES + NC-V110B + OT-UL</p> <ul style="list-style-type: none"> <li>- HP FU498ES 6730b , support docking station , intel Core2-Duo P8600 ( with VT, TXT, SiPP ) , 2.4GHz ( 45nm , 1066fsb ; L1 : 2x 64k , L2 : 3mb , EDB , EiST ) , 2Gb DDR2-800 , Intel GE45 chipset , Graphics Media Accelerator 4500MHD ( 384mb UMA ) , 15.4" Lcd ( 1280x800 WXGA ) , TV-out , 160gb SATA HDD , super-multi dvd+/-RW DL light-scribe drive , built-in card reader + bluetooth + WiFi + gigabit lan + 56k modem + Firewire + express card/54 + serial port - with windows Vista Business 32/64bit + XP disc for downgrade purpose + Office 2007 Ready ( professional with 60 day free trial )</li> <li>- Vizo NCL-110 Black , xena ii , 12"-15.4" notebook cooler , 360-degree swivel base , angle adjustable holder ( raises notebook display to different height ) , plastic , 2300rpm fan ( 70mm ) , sleeve bearing , 20dBA , 585g , powered by usb - 320x300x25mm</li> <li>- Sv-tech Usb Lock - with 1 key + 4 locks on usb port - to prevent lost of data from usb port for security - ideal for notebook or office PC</li> </ul>
BS-090322	<b>R 13,469.21</b>	<p>NB-HFU500ES + NC-V250 + OT-UL</p> <ul style="list-style-type: none"> <li>- HP FU500ES 6830S - intel Core2-Duo P8600 ( with VT, TXT, SiPP ) , 2.4GHz ( 45nm , 1066fsb ; L1 : 2x 64k , L2 : 3mb , EDB , EiST ) , 2Gb DDR2-800 , Intel PM45 chipset , 256mb upto 512mb hypermemory ATI Mobility Radeon HD3430 , 17" Lcd ( 1440x900 WXGA+ ) , no TV-out , 250gb SATA HDD , super-multi DVD+/-RW , sd/mmc card reader , bluetooth , WiFi + gigabit lan + 56k modem + express card/54 , integrated numeric keypad , with windows Vista Business 32bit + Office 2007 Ready ( professional with 60 day free trial )</li> <li>- Vizo NCL-250 , Ninja HS 12"-17" widescreen notebook cooler , black , aluminum , roller design for easy movement , 2000rpm dual 70mm fan ( 2-way adjustable fan position ) , sleeve bearing , 20dBA , 13.72CFM , 1250g , powered by usb or ac-adaptor - 350x291x62mm</li> <li>- Sv-tech Usb Lock - with 1 key + 4 locks on usb port - to prevent lost of data from usb port for security - ideal for notebook or office PC</li> </ul>
mixed brand bundle special		
BS-080420	<b>R 2,429.00</b>	<p>CH-AP150 + KE-RPT + MO-RPSW - WHITE collection</p> <ul style="list-style-type: none"> <li>- Antec performance one p150 , white+silver , antec Neo HE 430w psu with ACM ( advance cable management , only connect cables to psu that needed ) , panels with sound-deadening Vinyl dampening + removable front panel for easier access of HDD bays and washable air filters , Integrated cable organizers , advanced screwless HDD suspension system 2 x front usb + 1 x ieee1394 + audio in/out - 5.25"/3.5"/3.5" hidden : 3/1/4 or 4/0/4 - 1 x tricool fan upto 3 , drive rail kits , 2 x lock @ removable side panel</li> <li>- Razer Pro Type keyboard , pearl white with universal iPod dock , 10 programmable gaming hot keys , with image buttons ( rotate , zoom in/out , 100% ) + multimedia buttons , with Headphone-out and microphone-in jacks , 2 x usb downstream port</li> <li>- Razer Pro Solution White , with blue Led , 1600dpi optical , 6400 FPS , 40IPS ( Inch Per Sec ) , 5.8 MegaPixel/sec , 16bit ultra-data path , non-slip 7 buttons ( independently programable ) , always-on instant response , Zero-Acoustic Ultraslick Teflon feet - usb - retail pack</li> </ul>
BS-090401	<b>R 2,220.83</b>	<p>LC-AVW198T + TT-CV150F</p> <ul style="list-style-type: none"> <li>- Asus VW198T , black , 19" Wide , with SPLENDID technology , 2 x 1w speaker , 16850x1050 (WSXGA+) ; brightness- 300cd/m2 ; contrast ratio- 3000:1 , response time- 5ms , with cable management , 100mm vesa-wall mountable - d-sub + Dvi</li> <li>- COMPRO V150F set-top box , black , pc-free external tv-tuner ( turn your CRT/LCD/PDP/Projector into TV or Game console display ) , support 16:9/16:10 wide screen display , support PiP/PoP/video as desktop , support upto 1440x900/1280x1024 , stereo sound , with FM , with remote control , video in ( s-video+rca ) , audio in ( RCA + 3.5mm ) , built-in speaker ; sleep mode timers</li> </ul>
BS-090330	<b>R 1,944.95</b>	<p>CH-LA06SN + CH-LAC02S + CH-LABZU02S + KE-EAS</p> <ul style="list-style-type: none"> <li>- Lian-li pc-A06 , Silver , No psu ( front poisioned ) , mini-tower ( 381x210x490mm ) for atx , made in Taiwan , hairline brush anodized aluminum , removable front panel with jointer ; ieee1394 + 2 x front usb + audio in/out - 2x 5.25" , 1x 3.5" , 3x 3.5" hidden ( anti-vibration removable drive cage ) - 1 x blue led 120mm + 1x80mm fan upto 3 - atx</li> <li>- Lian-li C-02 Silver aluminum bezel for 5.25" optical drive with eject button - only compatible with Lian-Li case</li> <li>- Lian-li BZ-U02 Silver , multi-media i/o port with dust cover , 5.25" , 4xusb+ audio in/out+ 1xe-SATA+1x ieee1394 firewire - compatible with most of case</li> <li>- Enermax Aurora aluminum kb , Silver , heavy duty with audio in/out for headset , 2 x usb downstream hub , hairline brushed aluminum design , leading responsive scissors keys , blue LED indicator , ultra-flat , zero-degree tilt , extended wrist rest , polish towel included - usb</li> </ul>

BS-090328	<b>R 9,152.95</b>	<p>CH-CSDWN + CP-AAD7750B + 2x SC-A4870h512 - AMD Dragon platform</p> <ul style="list-style-type: none"> <li>- Coolermaster storm series - Sniper amd Dragon platform edition , Windowed side panel with amd+ati logos , No psu ( bottom placed psu design ) , meshed side panel , built-in StormGuard cable security lock for various peripherals , built-in fan control knob with led on/off switch , black , SECC+plastic - 1 x eSATA + 4 x front usb + 1 x ieee1394 + audio in/out - 5/4x 5.25" , 0/1 x 3.5" , 5x 3.5" hidden with drive rail - 2 x 200mm blue-led fan + 2 x 120mm fan upto 8 - ATX</li> <li>- Amd socket AM2+ athlon64 x2 Dual-core 7750 Black edition , ( 2.7Ghz ) , unlocked clock multiplier , dual core ; 2 x 128k L1 + 2x512k L2 + 1x shared 2mb L3 ; 65nm , 95w , 3600mhz HT3.0 link x 1 ( 20.8gb/sec ) , with PVT - box cpu</li> <li>- 2x Asus EAH4870/HTDI/512M , HD4870 chipset , HDMi ready , support crossfire-X , built-in HDMi codec+7.1 audio , support DirectX 10.1 , 1080p HDCP Compliant , pci-e 2.0 x16 , 512mb 256bit 4 channel DDR5 , 800 stream processors ( pixel shader engine + vertex pipelines ) , core/memory : 750/3600mhz , dual dvi ( with 1 x dvi to d-sub + 1 x dvi to HDMi converter ) , HDTV+HDMi tv-out - full retail pack</li> </ul>
BS-090331	<b>R 23,824.75</b>	<p>MB-AP6T6WSR + CP-ii7Q965X + 3x SC-X98GT - ultimate intel i7 platform with 3-way SLI</p> <ul style="list-style-type: none"> <li>- ASUS P6T6-WS Revolution ; LGA1366/i7 mb ; include G.P. Diagnosis card , on-board on-board on/off/clear CMOS switch , fanless heatpipe design , 16+2 phase power design , nVidia SLI / ATi coressfire ready ; intel X58+iCH10R , 6x tripple channel 2-phase DDR3 1600 ( support XMP upto 1.69v ) , 10 x s-ata2 with raid 0/1//0+1/5/10 ( 2x SAS/SATA + 6 x SATA + 2 x e-SATA ) , on-board ADI 2000B Dobly Digital live 7.1 audio with coaxial+optical S/Pdif out + dual gigabit lan ; 6 x pci-e 2.0 (support 16x+16x+16x ) - 1 x PS2 only for kb</li> <li>- Intel i7/Nehalem 965XE - Quad core+Hyper-Threading / 8 threads , unlocked clock multiplier , 3.2ghz box cpu , LGA1366 , 6.4GT/s QPi , built-in tripple channel DDR3-1333 memory controler , 45nm - 4x64k L1 + 1mb(4 x 256kb) L2 cache + 8mb L3 cache</li> <li>- 3x XFX geforce 9800GT , SLi support , Pci-E 2.0 16x , 512mb 256bit DDR3 , support DirectX 10.0 + shader model 4.0 +FP32 HDR + 16x AA ; max resolution 2560x1600 , HDCP Compliant , RoPs : 16 , 57.6Gb/sec memory transfer , 112 stream processors @ 1.5Ghz ( pixel shader engine + vertex pipelines ) ,</li> </ul>
BS-090326	<b>R 8,513.41</b>	<p>MB-AR2G + CH-AMP180BN + CP-ii7Q920 - latest intel i7 gaming platform in compact space</p> <ul style="list-style-type: none"> <li>- ASUS Rampage 2 Gene - Republic of Gamers</li> <li>LGA1366/i7 mb ; with Dual BIOS , external debug LED poster , Voltminder LED , on-board on-board on/off/clear CMOS switch , fanless heatpipe design , 16+2 phase power design , nVidia SLI / ATi coressfire ready ; intel X58+iCH10R , 6x tripple channel 2-phase DDR3 2000 , 8 x s-ata2 with raid 0/1//0+1/5/10 ( 7 x SATA + 1 x e-SATA ) , on-board SupremeFX Dobly Digital live 7.1 audio with optical S/Pdif out + gigabit lan + ieee1394a ; 1x pci , 1 x pci-e(4x) , 2 x pci-e 2.0 (16x+16x ) - micro atx</li> <li>- Intel i7/Nehalem 920 - Quad core+Hyper-Threading / 8 threads , 2.66ghz box cpu , LGA1366 , 4.8GT/s QPi , 45nm - 4x64k L1 + 1mb(4 x 256kb) L2 cache + 8mb L3 cache</li> <li>- antec performance one Mini P180 , Black , No psu , for micro atx , with external fan speed controller , 3 layers (aluminum/ plastic/ aluminum ) sound-deadening panels , bottom separated ducted chamber for PSU and hdd , double hinge door design , built-in cable management system , front access to washable fan filters ; 2 x front usb + e-SATA + HD audio in/out - 3x 5.25" , 1x 3.5" , 5x 3.5" hidden - 2 x tricoool fan upto 4 , 1 x lock @ front panel , quick-release drive cages with rubber grommets</li> </ul>
BS-090325	<b>R 5,352.07</b>	<p>CH-ANSK6580 + CP-iE8500 + HD-S1500S32</p> <ul style="list-style-type: none"> <li>- Antec New Solution series NSK6580 , black + silver , antec earthwatt 430w psu , chassis air guide on side panel , 0.8mm cold-rolled steel construction , 2 front usb + audio in/out + ieee1394 ; 4x 5.25" ( with 1 x 5.25" to 3.5" bracket+front panel ) , 5x internal 3.5" ; 1 x Tricoool 120mm rear fan upto 4 - 3 years warranty on PSU</li> <li>- Intel Core2 Duo E8500 - dual core 3.16ghz box cpu , with VT+TXT , 45nm , Lga775 , 1333mhz fsb - 2x64k L1+ shared 6mb L2 cache - with EDB , EiST , EM64T , WDE , ASC , SMA , ADMB , 128bit SSE4</li> <li>- seagate barracuda 7200.11 st31500341as , 1.5TB/1500gb , s-ata2 , 7200rpm , 32mb cache , 8.5ms - 5 years warrenty</li> </ul>

BS-090306	<b>R 8,024.35</b>	<p>MB-AP5ND + 2x SC-A88GT512 + CP-iQ9400</p> <p>- ASUS P5N-D : support SLi , with EPU ( Energy Processing Unit ) , 8-phase cap-less Power , fanless heatpipe design ; two-slot thermal fanless design - for intel Lga775 Quad-core/ Core2/ Core2-Extreme/ p4/ Pentium-D cpu ; nVidia nForce750i SLi ( support EPP SLi memory , linkboost , FirstPacket ) , 1333/1066/800/533 fsb , 4x dual channel ddr2 800 ( upto 3.11v ) , 4 x s-ata2 with raid 0/1/5/0+1/10 , 1 x parallel ata133 , on-board 1988B 7.1 audio with coaxial+optical S/Pdif out + gigabit lan + ieee1394a + NV firewall ; 2x pci , 2 x pci-e(1x) , 2 x pci-e 16x ( 2 x pci-e 2.0 @ 16x+16x ) , with com/serial + parallel port - atx - bundled with 1 x asus add-on fan - atx</p> <p>- 2x ASUS EN8800GT/HTDP/512 , geforce 8800GT , SLi support , Pci-E 2.0 16x , 512mb 256bit DDR3 , support DirectX 10.0 + shader model 4.0 +FP32 HDR + 16x AA ; max resolution 2560x1600 , HDCP Compliant , RoPs : 16 , 57.6Gb/sec memory transfer , 112 stream processors @ 1.5Ghz ( pixel shader engine + vertex pipelines ) , core/memory : 600/1800mhz , 2 x dvi , HDTV tvout - retail pack with bundle DX10 game ( Company of Heroes – Opposing Fronts ) - recommend to use 500w on single card and 850w on SLi</p> <p>- Amd socket AM2+ Phenomx3 Tripple-core 8750 Black edition ( 2.4Ghz ) , unlocked clock multiplier ; 3 x 128k L1 + 3 x 512k L2 + 1x shared 2mb L3 ; 65nm , 95w , 3600mhz HT3.0 link x 1 ( 33.1gb/sec ) , with PVT</p>
BS-090314	<b>R 10,512.28</b>	<p>MB-AM4A79D + 2x SC-A4870H512 + CP-AAT8750B</p> <p>- Asus M4A79 Delux , support hypertransport 3.0 , Pci-E2.0 Quad crossfire-X , on-board on/off/reset switch ; for AM2/AM2+/AM3 , AMD 790fx/sb750 chipset , 4 x dual channel DDR2-1066 ( upto 2.5v ) , 6 ( 5 internal+ 1 external e-sata ) s-ata2 with raid 0/1/0+1/5/10 , 1 x parallel ata133 , on-board ieee1394 + VT1708B 7.1 audio with coaxial+optical s/pdif out + gigabit lan ; 4x pci-e 2.0 ( 16x+16x or 16x+8x+8x or quad 8x ) , 2 x pci</p> <p>- 2x Asus EAH4870/HTDI/512M , HD4870 chipset , HDMI ready , support crossfire-X , built-in HDMI codec+7.1 audio , support DirectX 10.1 , 1080p HDCP Compliant , pci-e 2.0 x16 , 512mb 256bit 4 channel DDR5 , 800 stream processors ( pixel shader engine + vertex pipelines ) , core/memory : 750/3600mhz , dual dvi ( with 1 x dvi to d-sub + 1 x dvi to HDMI converter ) , HDTV+HDMI tv-out - full retail pack</p> <p>- Amd socket AM2+ Phenomx3 Tripple-core 8750 Black edition ( 2.4Ghz ) , unlocked clock multiplier ; 3 x 128k L1 + 3 x 512k L2 + 1x shared 2mb L3 ; 65nm , 95w , 3600mhz HT3.0 link x 1 ( 33.1gb/sec ) , with PVT box cpu</p>
BS-090315	<b>R 13,514.36</b>	<p>MB-AS2E + CP-iQ9400 + CH-CC1000BLW</p> <p>- ASUS Striker 2 Extreme - Republic of Gamers - nVidia ESA certified</p> <p>extra feature : support 3-way SLi , with EPU ( Energy Processing Unit ) , on-board voltiminder E-Led , external LCD P.O.S.T , on-board on/off/reset switch , clear CMOS button , 8-phase cap-less Power , fanless heatpipe design with Fusion Block System ( for 3 x chipsets + MoSFET water cooling ) ; two-slot thermal fanless design - for intel Lga775 Quad-core/ Core2/ Core2-Extreme/ p4/ P-D cpu ; nVidia nForce790i Ultra SLi ( support EPP2 SLi memory linkboost , FirstPacket , 2gigabit Teaming network bandwidth ) , 1600/1333/1066/800 fsb , 4x dual channel ddr3 1600(O.C)/1333/1066/800 ( upto 3.1v ) , 8 x s-ata2 with raid 0/1/5/0+1/10 ( 6 x internal + 2 x external ) , 1 x parallel ata133 , on-board SupremeFX ii ADI 1988B Dobly Digital live 7.1 audio with coaxial+optical S/Pdif out + dual gigabit lan + ieee1394a + NV firewall ; 2x pci , 2 x pci-e(1x) , 3 x pci-e 16x ( 2 x pci-e 2.0 + 1 x pci-e 1.0 @ 16x+16x+16x ) , 1 x PS2 only for kb - bundled with 2 x asus add-on fan + bundle game company of heroes - atx</p> <p>- Intel Core2 Quad Q9400 - quad core 2.66ghz box cpu , with VT+TXT , 45nm , Lga775 , 1333mhz fsb - 4x64k L1+ 2 x shared 3mb L2 cache - with EDB , EiST , EM64T , WDE , ASC , SMA , ADMB , 128bit SSE4</p> <p>- Coolermaster Cosmos RC-1000 Black label Limited edition with Windowed side panel + 850w realpower pro + Hyper Z600 black edition cpu cooler - with unique serial number ; steel + aluminum - removable</p>
BS-090320	<b>R 8,421.86</b>	<p>MB-iX58So + CP-ii7Q920 + ME-C1G3X13X9X3</p> <p>- Corsair TR3X3G1333C9 G , XMS 3 , with heatsink , 3 x 1Gb/1024mb kit - support Intel XMP ( eXtreme Memory Profiles ) , ddr3-1333 ( PC3-10600 ) , CL9 , 1.5v - 240pin - lifetime warranty</p> <p>- Intel i7/Nehalem 920 - Quad core+Hyper-Threading / 8 threads , 2.66ghz box cpu , LGA1366 , 4.8GT/s QPi , built-in tripple channel DDR3-1333 memory controler , 45nm - 4x64k L1 + 1mb(4 x 256kb) L2 cache + 8mb L3 cache</p> <p>- Intel X58So SmackOver ; LGA1366/i7 mb ; on-board on-board on/off/clear CMOS switch , fanless heatpipe design , 16+2 phase power design , CoressfireX ready , intel X58+iCH10R , 4x tripple channel DDR3 1600 ( support XMP ) , 8 x s-ata2 with raid 0/1//0+1/5/10 ( 6 x SATA + 2 x e-SATA ) , on-board 7.1 audio with optical S/Pdif out + gigabit lan + ieee1394a ; 1x pci , 2 x pci-e(1x) , 3 x pci-e 2.0 (16x+16x+1x or 16x+8x+8x ) - bulk pack</p>

BS-090316	<b>R 15,480.63</b>	<p>MB-AR2E + CP-ii7Q920 + CH-CC1000BLW</p> <p>- ASUS Rampage 2 Extreme - Republic of Gamers</p> <p>LGA1366/i7 mb ; with on-board extreme OC tweakit , Dual BIOS , external debug LED poster , EL i/o , Voltminder LED ( cpu/mem/nb/sb voltage warning led ) , on-board on-board on/off/clear CMOS switch , fanless heatpipe design , 16+2 phase power design , nVidia SLI / ATi coressfire ready ; intel X58+iCH10R , 6x tripple channel 2-phase DDR3 2000 ( support XMP upto 1.69v ) , 9 x s-ata2 with raid 0/1//0+1/5/10 ( 8 x SATA + 1 x e-SATA ) , 1 x parallel ata133 , on-board SupremeFX II ADI 2000B Dobly Digital live 7.1 audio with coaxial+optical S/Pdif out + dual gigabit lan + ieeee1394a ; 2x pci , 1 x pci-e(1x) , 3 x pci-e 2.0 (16x+16x+1x or 16x+8x+8x ) - 1 x PS2 only for kb</p> <p>- Intel i7/Nehalem 920 - Quad core+Hyper-Threading / 8 threads , 2.66ghz box cpu , LGA1366 , 4.8GT/s QPi , built-in tripple channel DDR3-1333 memory controler , 45nm - 4x64k L1 + 1mb(4 x 256kb) L2 cache + 8mb L3 cache</p> <p>- Coolermaster Cosmos RC-1000 Black label Limited edition with Windowed side panel + 850w realpower pro + Hyper Z600 black edition cpu cooler - with unique serial number ; steel + aluminum - removable wind tunnel for graphic card , front door open to left or right , removable motherboard tray ; 1 x eSATA +</p>
BS-090317	<b>R 5,911.36</b>	<p>CH-ANSK4480 + CP-iQ9400 + LC-S2333SW</p> <p>- Antec New Solution series NSK4480 , black + silver , antec earthwatts 380w psu ( 80Plus certrified ) , chassis air guide on side panel , 0.8mm cold-rolled steel construction , 2 front usb ; 3x 5.25" , 2x 3.5" , 3x internal 3.5" ; 1 x Tricool 120mm rear fan upto 3</p> <p>- Intel Core2 Quad Q9400 - quad core 2.66ghz box cpu , with VT+TXT , 45nm , Lga775 , 1333mhz fsb - 4x64k L1+ 2 x shared 3mb L2 cache - with EDB , EiST , EM64T , WDE , ASC , SMA , ADMB , 128bit SSE4</p> <p>- Samsung 2333SW , glossy black , 23" Wide lcd + MagicBright3 + MagicTune , 1920x1080 (WUXGA) ; brightness- 300cd/m2 ; DC contrast ratio- 20000:1 , response time- 5ms , 100mm vesa-wall mountable - d sub+Dvi</p>
BS-090308	<b>R 8,651.35</b>	<p>MB-AS2E + CP-iQ9400 + ME-C2G3X13X9x2</p> <p>- ASUS Striker 2 Extreme - Republic of Gamers - nVidia ESA certified</p> <p>extra feature : support 3-way SLi , with EPU ( Energy Processing Unit ) , on-board voltiminder E-Led , external LCD P.O.S.T , on-board on/off/reset switch , clear CMOS button , 8-phase cap-less Power , fanless heatpipe design with Fusion Block System ( for 3 x chipsets + MoSFET water cooling ) ; two-slot thermal fanless design - for intel Lga775 Quad-core/ Core2/ Core2-Extreme/ p4/ P-D cpu ; nVidia nForce790i Ultra SLi ( support EPP2 SLi memory linkboost , FirstPacket , 2gigabit Teaming network bandwidth ) , 1600/1333/1066/800 fsb , 4x dual channel ddr3 1600(O.C)/1333/1066/800 ( upto 3.1v ) , 8 x s-ata2 with raid 0/1/5/0+1/10 ( 6 x internal + 2 x external ) , 1 x parallel ata133 , on-board SupremeFX ii ADI 1988B Dobly Digital live 7.1 audio with coaxial+optical S/Pdif out + dual gigabit lan + ieeee1394a + NV firewall ; 2x pci , 2 x pci-e(1x) , 3 x pci-e 16x ( 2 x pci-e 2.0 + 1 x pci-e 1.0 @ 16x+16x+16x ) , 1 x PS2 only for kb - bundled with 2 x asus add-on fan + bundle game company of heroes - atx</p> <p>- Intel Core2 Quad Q9400 - quad core 2.66ghz box cpu , with VT+TXT , 45nm , Lga775 , 1333mhz fsb - 4x64k L1+ 2 x shared 3mb L2 cache - with EDB , EiST , EM64T , WDE , ASC , SMA , ADMB , 128bit SSE4</p> <p>- Corsair TW3X4G1333C9 , XMS 3 , with heatsink , 2 x 2Gb/2048mb kit , ddr3-1333 ( PC3-10600 ) , CL9 , 1.6v - 240pin - lifetime warranty</p>
BS-081109	<b>R 5,140.15</b>	<p>CH-A1200WN + CP-iQ9400 + FA-120CLLx2 + KE-EAB</p> <p>- Antec 1200 ( Twelve Hundred ) with windowed side panel , black , no psu , bottom placed PSU , front access to washable fan filters ; 2 x front usb + 1 x e-sata + audio in/out - 3 x 5.25" , 9 x internal 3.5" hdd , built-in 4 x rear switched fan controller + 2 x front fan speed controller knob on the chassis ; top-mounted 200mm tri-cool fan + 3 x front 120mm tricoool blue led fan + 2 x rear 120mm tri-cool fan upto 8 , quick-release drive cages with rubber grommets , with accessories tray on top</p> <p>- Intel Core2 Quadro Q9400 - quad core 2.66ghz box cpu , with VT+TXT , 45nm , Lga775 , 1333mhz fsb - 4x64k L1+ 2 x shared 3mb L2 cache - with EDB , EiST , EM64T , WDE , ASC , SMA , ADMB , 128bit SSE4</p> <p>- 2 x 120mm bLue led fan</p> <p>- Enermax Aurora aluminum kb , Black , heavy duty with audio in/out for headset , 2 x usb downstream hub , hairline brushed aluminum design , leading responsive scissors keys , blue LED indicator , ultra-flat , zero-degree tilt , extended wrist rest , polish towel included - usb</p>
BS-090310	<b>R 1,628.95</b>	<p>EE-V300SUK + HD-S1000S32</p> <p>- Vantec nexstar-cx , nst-300S2 , 3.5" Sata to Usb2.0 external enclosure , black , aluminum</p> <p>- seagate barracuda 7200.11 st31000340/33as , 1TB/1000gb , s-ata2 , 7200rpm , 32mb cache , 8.5ms - 5 years warrenty</p>
BS-090309	<b>R 3,509.95</b>	<p>EE-VD200SU + 2x HD-S1000S32</p> <p>- Vantec nexstar dual hdd hard drive dock , nst-d200-su , 2x bay for 2.5" or 3.5" sata to e-Sata + Usb2.0 hdd dock , pearl white , with eject button for easy removal of hard drive</p> <p>- 2 x seagate barracuda 7200.11 st31000340/33as , 1TB/1000gb , s-ata2 , 7200rpm , 32mb cache , 8.5ms - 5 years warrenty</p>

BS-090311	<b>R 11,786.35</b>	<p>NB-LNS84YZA + DC-CDi980iS-R + EH-W250PR + Mo-RMBR - RED collection</p> <p>- Lenovo NS84UZA S10 idealpad mini-notebook , Red , with 6-cell battery , built-in webcam , 255x165x27mm , 1.19kg, intel Atom N270 ( no VT ) , 1.6GHz single core with hyper threading ( 2 threads ) ( 45nm, 533mhz fsb ; L1 : 64k , L2 : 512k , EIST, EDB ) , 1Gb (2x512) DDR2-667 , Intel G945SE chipset , GMA950 on-board VGA with D-sub out , 10.1" Lcd ( 1024x600 WSVGA ) , no TV-out , 160gb 5400rpm HDD , SD/MMC card reader , bluetooth + WiFi + 10/100 lan , express card/54 - with windows Vista XP Home + Office 2007 Ready ( professional with 60 day free trial )</p> <p>- Canon Digital ixus 980iS - Red limited edition , Titanium body with Touch Control Dial , new Anti-blur Motion Detection + i-contrast , ISO 1600 and 16:9 widescreen recording , slim - 14.7mp , 15 x zoom ( 3.7 x 4 with digital tele-converter ) , optical image stabilizer , time lapse movie recording , 2.5" Lcd with OVF , DiGiC 4 with iSAPS , face detection AF/AE , 9 point AiAF , video max resolution/speed - 640x480@30FPS , video max length - 4Gb or 120min , support external flash ; with 1Gb SD/SDHC/MMC , Li-on battery</p> <p>- WD WDMER2500 passport essential portable 250gb Red ( 2.5" , 5400rpm , 8mb cache , 12ms ) , 129x80x15mm, usb 2.0, usb-powered - 2 years warranty</p> <p>- Razer ProClick Mobile Bluetooth Red - for bluetooth ready notebook / pc ( no bluetooth adapter included ) , with on/off switch - retail pack with travel pouch</p>
BS-090320U120	<b>R 695.97</b>	<p>EE-V200SUK + HD-SN120S</p> <p>- Vantec nexstar-cx , nst-200s2 , 2.5" Sata to Usb2.0 external enclosure , black , aluminum , usb powered , 135x82x13mm</p> <p>- seagate momentus 5400.3 st9120822as 120gb, 2.5" , S-ATA , support NCQ , 5400rpm , 8mb cache - 3 years warranty</p>
BS-090320U160	<b>R 763.69</b>	<p>EE-V200SUK + HD-SN160S</p> <p>- Vantec nexstar-cx , nst-200s2 , 2.5" Sata to Usb2.0 external enclosure , black , aluminum , usb powered , 135x82x13mm</p> <p>- seagate momentus 5400.3 st9160310as 160gb, 2.5" , S-ATA , support NCQ , 5400rpm , 8mb cache - 3 years warranty</p>
BS-090320U250	<b>R 876.55</b>	<p>EE-V200SUK + HD-SN250S</p> <p>- Vantec nexstar-cx , nst-200s2 , 2.5" Sata to Usb2.0 external enclosure , black , aluminum , usb powered , 135x82x13mm</p> <p>- seagate momentus 5400.3 st9250827as 250gb, 2.5" , S-ATA , support NCQ , 5400rpm , 8mb cache - 3 years warranty</p>
BS-090320U320	<b>R 1,050.85</b>	<p>EE-V200SUK + HD-SN320S</p> <p>- Vantec nexstar-cx , nst-200s2 , 2.5" Sata to Usb2.0 external enclosure , black , aluminum , usb powered , 135x82x13mm</p> <p>- seagate momentus 5400.3 st9320320as 320gb, 2.5" , S-ATA , support NCQ , 5400rpm , 8mb cache - 3 years warranty</p>
BS-090305	<b>R 1,561.23</b>	<p>MR-VARES2 + 2 x HD-SN120S - support raid 0/1 in 1 x 3.5" bay - ideal for RAID in limited space</p> <p>- Vizo ARES ii , ARS-250 - black , for 2x 2.5" S-ATA HDD / SSD in 1 x 3.5" bay , support raid in 1 x 3.5" bay - ideal for raid in limited space , plastic + aluminum , hot swappable , HDD indicator</p> <p>- 2 x seagate momentus 5400.3 st9120822as 120gb, 2.5" , S-ATA , support NCQ , 5400rpm , 8mb cache - 3 years warranty</p>
BS-090304	<b>R 1,754.35</b>	<p>MR-VARES2 + 2 x HD-SN160S - support raid 0/1 in 1 x 3.5" bay - ideal for RAID in limited space</p> <p>- Vizo ARES ii , ARS-250 - black , for 2x 2.5" S-ATA HDD / SSD in 1 x 3.5" bay , support raid in 1 x 3.5" bay - ideal for raid in limited space , plastic + aluminum , hot swappable , HDD indicator</p> <p>- 2 x seagate momentus 5400.3 st9120310as 160gb, 2.5" , S-ATA , support NCQ , 5400rpm , 8mb cache - 3 years warranty</p>
BS-090226	<b>R 1,944.95</b>	<p>MR-VARES2 + 2 x HD-SN250S - support raid 0/1 in 1 x 3.5" bay - ideal for RAID in limited space</p> <p>- Vizo ARES ii , ARS-250 - black , for 2x 2.5" S-ATA HDD / SSD in 1 x 3.5" bay , support raid in 1 x 3.5" bay - ideal for raid in limited space , plastic + aluminum , hot swappable , HDD indicator</p> <p>- 2 x seagate momentus 5400.4 st9250827as 250gb, 2.5" , S-ATA2 , support NCQ , 5400rpm , 8mb cache - 3 years warranty</p>
BS-090301	<b>R 2,082.89</b>	<p>EE-v25218R + 2 x HD-SN120S - support raid 0/1 in compact external dock/enclosure</p> <p>- Vi-Power VPA-25218R 2x 2.5" hdd dock or external enclosure , aluminum , with backup button + built-in raid system ( raid 0 , 1, JBOD ) , OS independent SteelVine Storage Processor , 1 x fan , 2xSATA hdd to eSATA or usb</p> <p>- 2 x seagate momentus 5400.3 st9120822as 120gb, 2.5" , S-ATA , support NCQ , 5400rpm , 8mb cache - 3 years warranty</p>

BS-090303	<b>R 2,446.55</b>	<p>MR-VARES2 + EE-v25218R + 2 x HD-SN120S - support raid 0/1 in 1 x 3.5" bay or compact external dock/enclosure</p> <ul style="list-style-type: none"> <li>- Vizo ARES ii , ARS-250 - black , for 2x 2.5" S-ATA HDD / SSD in 1 x 3.5" bay , support raid in 1 x 3.5" bay - ideal for raid in limited space , plastic + aluminum , hot swappable , HDD indicator</li> <li>- Vi-Power VPA-25218R 2x 2.5" hdd dock or external enclosure , aluminum , with backup button + built-in raid system ( raid 0, 1, JBOD ) , OS independent SteelVine Storage Processor , 1 x fan , 2xSATA hdd to eSATA or usb</li> <li>- 2 x seagate momentus 5400.3 st9120822as 120gb, 2.5" , S-ATA , support NCQ , 5400rpm , 8mb cache - 3 years warranty</li> </ul>
BS-081025	<b>R 1,561.23</b>	<p>iC-V9218 + HD-VA350 + HD-S1000S32</p> <ul style="list-style-type: none"> <li>- Vi-power VP-9218 interface converter - USB2.0 to External eSATA smart dongle</li> <li>- vizo avk-350bk - 3.5" hdd anti-vibration / protection kit , ultra-light silica gel , stackable design , ideal for usage outside of chassis</li> <li>- seagate barracuda 7200.11 st31000340/33as , 1TB/1000gb, s-ata2 , 7200rpm , 32mb cache, 8.5ms - 5 years warrenty</li> </ul>
BS-081026	<b>R 96.56</b>	<p>FA-80VUo + FA-80VUG + FA-80EM</p> <ul style="list-style-type: none"> <li>- vantec 80mm sp8025uv-OR spectrum UV fan - Orange , 80x80x25mm , 2900rpm , 39CFM , 34dBA - 1 year warranty</li> <li>- vantec 80mm sp8025uv-GR spectrum UV fan - Green , 80x80x25mm , 2900rpm , 39CFM , 34dBA - 1 year warranty</li> <li>- Enermax TC-8CAS-NL 80mm multi-color led fan with built-in fan speed control Knob - access fan speed control out side of the chassis , 80x80x25mm , sleeve , 900-1700rpm , 66.2CFM , 19.2-33.1dBA - 1 year warranty</li> </ul>
BS-081026x2	<b>R 174.31</b>	<p>2 x FA-80VUo + 2 x FA-80VUG + 2 x FA-80EM</p> <ul style="list-style-type: none"> <li>- 2 x vantec 80mm sp8025uv-OR spectrum UV fan - Orange , 80x80x25mm , 2900rpm , 39CFM , 34dBA - 1 year warranty</li> <li>- 2 x vantec 80mm sp8025uv-GR spectrum UV fan - Green , 80x80x25mm , 2900rpm , 39CFM , 34dBA - 1 year warranty</li> <li>- 2 x Enermax TC-8CAS-NL 80mm multi-color led fan with built-in fan speed control Knob - access fan speed control out side of the chassis , 80x80x25mm , sleeve , 900-1700rpm , 66.2CFM , 19.2-33.1dBA - 1 year warranty</li> </ul>
BS-081026x5	<b>R 374.95</b>	<p>5 x FA-80VUo + 5 x FA-80VUG + 5 x FA-80EM</p> <ul style="list-style-type: none"> <li>- 5 x vantec 80mm sp8025uv-OR spectrum UV fan - Orange , 80x80x25mm , 2900rpm , 39CFM , 34dBA - 1 year warranty</li> <li>- 5 x vantec 80mm sp8025uv-GR spectrum UV fan - Green , 80x80x25mm , 2900rpm , 39CFM , 34dBA - 1 year warranty</li> <li>- 5 x Enermax TC-8CAS-NL 80mm multi-color led fan with built-in fan speed control Knob - access fan speed control out side of the chassis , 80x80x25mm , sleeve , 900-1700rpm , 66.2CFM , 19.2-33.1dBA - 1 year warranty</li> </ul>
<b>Zboard</b>		
BS-ZKMH	<b>R 472.76</b>	<p>Zboard Bundle - keyboard + gaming mouse + gaming headset</p> <ul style="list-style-type: none"> <li>- Merc gaming keyboard - 11 multimedia keys + 34 gaming keys ( butterfly layout + 11 degree ergonomic layout ) , phantom-keys elimination capabilities delivers up to 7 simultaneous keystrokes</li> <li>- gaming mouse - on-the-fly switching 400/800/1600dpi optical , 6469 FPS , 40iPS ( Inch Per Sec ) , 4 programable buttons - usb</li> <li>- GH-100 gaming headset , behind head design , in-line volumn control - with 3.5mm audio jack</li> </ul>
BS-081030	<b>R 519.16</b>	<p>Zboard Bundle - keyboard + gaming mouse + gaming headset + PR-ZZ</p> <ul style="list-style-type: none"> <li>- Merc gaming keyboard - 11 multimedia keys + 34 gaming keys ( butterfly layout + 11 degree ergonomic layout ) , phantom-keys elimination capabilities delivers up to 7 simultaneous keystrokes</li> <li>- gaming mouse - on-the-fly switching 400/800/1600dpi optical , 6469 FPS , 40iPS ( Inch Per Sec ) , 4 programable buttons - usb</li> <li>- GH-100 gaming headset , behind head design , in-line volumn control - with 3.5mm audio jack</li> <li>- Zboard Z-fragmat - gaming mouse pad - Non slip under-padding , 1.8mm slimprofile , permium gliding surfaces, 300x240mm</li> </ul>

BS-081031	<b>R 1,489.75</b>	<p>Zboard Bundle - KE-ZMS + MO-ZR + HS-ZB + PR-ZZ</p> <ul style="list-style-type: none"> <li>- Zboard MERC stealth gaming keyboard ; 3 color ( red, blue, purple ) illumination on all keys with levels of brightness ( subtle, ambient, intense, off ) , with audio jacks for headsets and microphones , 13 multimedia keys + 34 gaming keys ( butterfly layout + 11 degree ergonomic layout ) , phantom-keys elimination capabilities delivers up to 7 simultaneous keystrokes</li> <li>- Zboard Reaper gaming mouse , black with orange light , on-the-fly switching 400/800/1600dpi optical , 6469 FPS , 40iPS ( Inch Per Sec ) , 7 programable buttons , non-slip rubberized - usb - retail pack</li> <li>- zboard Banshee gaming headset , maximum comfort with dual suspension , L+R stereo mic , 40mm driver , with in-line control , with 3.5mm + 6.5mm stereo jack</li> <li>- Zboard Z-fragmat - gaming mouse pad - Non slip under-padding , 1.8mm slimprofile , permium gliding surfaces, 300x240mm</li> </ul>
Coolermaster		
BS-081028	<b>R 2,940.63</b>	<p>CH-CC590WN + PS-C850RE + CH-CASTB3T4B1 + FA-120CLLx2 - extra 3 x 3.5" hdd bay + 3 x 120mm blue-led fan</p> <ul style="list-style-type: none"> <li>- Coolermaster RC-590 , Centurion 590 , Windowed side panel , No psu ( bottom placed psu design ) : tools free for Pci+3.5"+5.25" ; 2 x front usb + audio in/out + ieee1394 - upto 9x 5.25" , 1/0 x 3.5" , upto to 12x 3.5" hidden ( 1 x 4-in-3 device module include - take 3 x 5.25" bay ) - 1 x front blue-led fan + 1 x rear 120mm fan upto 8 - atx</li> <li>- Coolermaster RS-850-EMBA Real power pro 850w , EPS12V V2.91 + SSi + ATX 12V V2.2 , quad SLi + quad CPU ready , multiple protection circuit , active PFC , 6 x 12V rail , 8 x SATA , 4x6pin + 2x8(6+2) pin PCI-E power connectors , 24pin ( 4 pin detachable ) + 4 or 8pin 12v AUX , 1x 135mm fan with intelligent fan speed control ; with OVP , UVP , OTP , OCP , OLP , SCP ; 80 PLUS certified - 5 years warranty</li> <li>- Coolermaster STB-3T4-B1 internal 4-in3 device module , oem pack - for 4 x 3.5" HDD in 3 x 5.25" bay +120mm fan</li> <li>- Coolermaster 120mm bLue led fan x 2 ( twin pack ) , R4-L2S-122B - 120x120x25mm , sleeve bearing , 1200rpm , 39.77CFM , 19.3dBA - 1 year warranty</li> </ul>
BS-081029	<b>R 5,867.47</b>	<p>CH-CHAF192WN + PS-C1000REM + HD-S1000S32</p> <ul style="list-style-type: none"> <li>- Coolermaster RC-932 HAF932 , Windowed side panel , No psu ( bottom placed psu design ) , with Easy access to liquid coolant fill port on top , black , SECC+plastic - removable motherboard tray ; 1 x eSATA + 4 x front usb + 1 x ieee1394 + audio in/out - 6x 5.25" , 5x 3.5" hidden with drive rail - 1 x 230mm red-led fan + 2 x 230mm fan + 1 x 140mm fan upto 9 - support upto E-ATX</li> <li>- Coolermaster RS-A00-ESBA Real power 1000w , EPS12V V2.91 + SSi + ATX 12V V2.2 , Modular cable manafgement , quad SLi + quad CPU ready , multiple protection circuit , active PFC , 6 x 12V rail , 6 x SATA + 4 x 6pin PCI-E power + 2 x 8pin PCI-E power connector , 24pin ( 4 pin detachable ) + 4 or 8pin 12v AUX , 1x 135mm fan with intelligent fan speed control ; with OVP , UVP , OTP , OCP , OLP , SCP ; 80 PLUS certified - 5 years warranty</li> <li>- seagate barracuda 7200.11 st31000340/33as , 1TB/1000gb, s-ata2 , 7200rpm, 32mb cache, 8.5ms - 5 years warrenty</li> </ul>
BS-080925	<b>R 7,725.89</b>	<p>CH-CC1010N + WC-CAM + PS-C1000REE - ESA ready chassis + ESA ready water cooling + ESA ready 1000w psu</p> <ul style="list-style-type: none"> <li>- Coolermaster Cosmos RC-1010 , nVidia ESA ready - with additional thermal control board for 4 thermal sensors , No psu ( bottom placed psu design ) , silver + black , steel + aluminum - removable wind tunnel for graphic card , front door open to left or right , removable motherboard tray ; 1 x eSATA + 4 x front usb + 1 x ieee1394 + audio in/out - 5x 5.25" , 6x 3.5" hidden - 4 x 120mm fan upto 6 ( with bottom air Inlet + air filter ) - support upto E-ATX</li> <li>- Coolermaster Aquagate Max , nVidia ESA ready , front display ( 2 x 5.25" bay ) for water level+water flow , internal aluminum radiator for 2 x 5.25" bay ( 300x142x71mm + 2 x 120mm 850-2400rpm green Led fan ) , 1 x cpu water block ; noise level : 22dBa , 71.81CFM , green coolant ; for Intel LGA775 + all AMD 754/939/940/AM2/F/1207 cpu</li> <li>- Coolermaster RS-A00-EFAM Real power 1000w nVidia ESA ready , EPS12V V2.92 + SSi + ATX 12V V2.3 , quad SLi + quad CPU ready , multiple protection circuit , active PFC , 6 x 12V rail , 8 x SATA + 4 x 6pin PCI-E power + 2 x 8pin PCI-E power connector , 24pin + 4 or 8pin 12v AUX , 1x 120mm PWM fan ; with OVP , UVP , OTP , OCP , OPP ; 80 PLUS certified - 5 years warranty</li> </ul>



BS-081210	<b>R 308.48</b>	PS-VACG + PS-VACK + PS-VACL + PS-VACR + PS-VACY - vantec CSK-80UV-GR cable sleeving kit , UV Green : include sleeveings , tie wraps , Heatshrink Tubings - vantec CSK-80UV-BK cable sleeving kit , UV black : include sleeveings , tie wraps , Heatshrink Tubings - vantec CSK-80UV-BL cable sleeving kit , UV blue : include sleeveings , tie wraps , Heatshrink Tubings - vantec CSK-80UV-RD cable sleeving kit , UV Red : include sleeveings , tie wraps , Heatshrink Tubings - vantec CSK-80UV-YL cable sleeving kit , UV Yellow : include sleeveings , tie wraps , Heatshrink Tubings
BS-081208	<b>R 139.19</b>	PS-VAMG + PS-VAMK + PS-VAML + PS-VAMR + PS-VAMY - Vantec MCK-iOUV-GR , EZ-Grip Molex Connector Kit - UV reactive Green ; 10 molex connector with one molex remover - Vantec MCK-iOUV-GR , EZ-Grip Molex Connector Kit - UV reactive bLK ; 10 molex connector with one molex remover - Vantec MCK-iOUV-GR , EZ-Grip Molex Connector Kit - UV reactive bLue ; 10 molex connector with one molex remover - Vantec MCK-iOUV-GR , EZ-Grip Molex Connector Kit - UV reactive Red ; 10 molex connector with one molex remover - Vantec MCK-iOUV-GR , EZ-Grip Molex Connector Kit - UV reactive Yellow ; 10 molex connector with one molex remover
BS-081207	<b>R 531.70</b>	CH-VAMPB + CH-VAMPG + CH-VAMPW - ViZo MTP-101-BK Master Panel Black , for 5.25" bay , with IDE + eSATA+SATA interface ( data cable + power cable included ) , with on/off switch - ViZo MTP-101-BK Master Panel Grey , for 5.25" bay , with IDE + eSATA+SATA interface ( data cable + power cable included ) , with on/off switch - ViZo MTP-101-BK Master Panel White , for 5.25" bay , with IDE + eSATA+SATA interface ( data cable + power cable included ) , with on/off switch
BS-080923	<b>R 1,019.50</b>	EE-VU350BG + EE-VU350BK + EE-VU350BL 3 colors ( Black + bLue + Grey/Silver ) VIZO Uranus URA350SA + dual Backup button , aluminum , 3G external enclosure : eSATA + USB 2.0 , for 3.5" SATA hdd - bundled with eSATA cable , usb cable , external eSATA adapter ( connect from on board s-ata to pci back plate )
BS-090225	<b>R 1,215.13</b>	EE-VLA350K + EE-VLA350G + EE-VLA350L 3 colors ( Black + bLue + Grey/Silver ) VIZO Luxon Advanced LXE-350 , aluminum , external enclosure : e-SATA + Usb 2.0 , for 3.5" IDE or SATA hdd - also comes with e-sata cable , usb cable , external e-Sata adapter ( connect from on board s-ata to pci back plate )
BS-080715	<b>R 139.19</b>	MC-VA + MC-VMA - Vizo Armada tri-fan memory cooler with blue led , for SDR/DDR/DDR2 , 3 x 40x40mm blue led fan , 4500rpm , 27.98dbn , 13.86x3 CFM - vizo DDR-ALM SDR/DDR/DDR2 memory heat spreader - Aluminum
BS-080517	<b>R 154.24</b>	CA-U2VL + CA-U2VG + CA-U2VR + CA-U2VY - Vizo starlet USB-2M-BL 2m usb 2.0 cable ( type A - type B ) - UV+Led bLue, retail pack - Vizo starlet USB-2M-GR 2m usb 2.0 cable ( type A - type B ) - UV+Led Green, retail pack - Vizo starlet USB-2M-RD 2m usb 2.0 cable ( type A - type B ) - UV+Led Red, retail pack - Vizo starlet USB-2M-YL 2m usb 2.0 cable ( type A - type B ) - UV+Led Yellow , retail pack
BS-080324	<b>R 129.16</b>	PS-VACY + PS-VAMY + MB-VASPKY + CA-VS60Y - vantec CSK-80UV-YL cable sleeving kit , UV Yellow : include sleeveings , tie wraps , Heatshrink Tubings - Vantec MCK-iOUV-YL , EZ-Grip Molex Connector Kit - UV reactive Yellow ; 10 molex connector with one molex remover - Vantec SPK-08UV-YL Slot Protector Kit - UV reactive Yellow - for 3 x memory slot + 5 x pci slot - Vizo SA-60 60cm (24") UV s-ata cable - Yellow
BS-080325	<b>R 116.62</b>	PS-VACR + PS-VAMR + MB-VASPKR + CA-VS60R - vantec CSK-80UV-RD cable sleeving kit , UV Red : include sleeveings , tie wraps , Heatshrink Tubings - Vantec MCK-iOUV-RD , EZ-Grip Molex Connector Kit - UV reactive Red ; 10 molex connector with one molex remover - Vantec SPK-08UV-RD Slot Protector Kit - UV reactive Red - for 3 x memory slot + 5 x pci slot - Vizo SA-60 60cm (24") UV s-ata cable - Red

BS-081023	<b>R 3,509.95</b>	DS-D016RW + 2 x Di-DRV43585 - re-writable + managable external storage system via software - dactal powerdrive DC-106RW - cd/dvd library + built-in super-multi dvd writer ( 8X DVD / 24X CD / 8xDVD±RW / 6X DVD±RDL/ 5X DVD-RAM ) , ivory ; upto 100 x DVD , CD , usb interface with 1 x usb downstream hub , support daisychain upto 127 unit - management software bundled - 2 x verbatim 43585 DataLifePlus , matt silver , 4.7gb / 120min dvd-Rw ( 6x ) - 10pack spindle
BS-080829	<b>R 1,237.70</b>	DS-D101 + 3 x Di-CRL50 - managable storage system via software - dactal DC-300 ivory ; CD library II ; store 150 x DVD , CD , usb interface , support daisychain upto 127 unit - management software bundled - 3 x LG CR852NXS50C cd-r (52x) - 50pack spindle
BS-080425	<b>R 1,586.31</b>	DS-D300i + 3 x Di-DRV43512 - 705Gb managable storage system via software - dactal DC-300 ivory ; CD library II ; store 150 x DVD , CD , usb interface , support daisychain upto 127 unit - management software bundled - 3 x verbatim 43512 Wide Photo Printable No ID Brand , 4.7gb/120min dvd+R ( 16x ) - 50pack spindle

#### Aavara

BS-081111	<b>R 1,646.50</b>	LS-ACH630 + 3 x LS-AY2638 - Aavara CH630 cable management column - support upto 4 x Y2638 AV/HiFi stand - upward & downward movement adjustable , aluminum alloy ; loading capacity: 60kg - 3 x Aavara Y2638 AV/HiFi support for CH630 - 110 degree wide spread & 358mm free stretch , height adjustable , support upto 4 x Y2638 in 1 x CH630 , aluminum alloy ; loading capacity:15kg per unit
BS-081015	<b>R 6,770.35</b>	LS-ATS742 + 2 x LC-AHW22 - Aavara TS742 dual flip mount 2x lcd stand - 2 independent swing arms , horizontal & vertical shift + 20° swivelable + 20° tilt + 90° rotation pivot for landscape or portrait , with ExperTorque technology , smart cable management , VESA mountin : 100x100 / 75x75mm , support up to 2 x 24"/12Kg - 2 x AG NEOVO H-W22 , 22" wide screen , HDCP compliant , built-in 2 x 2w speakers , kensington security lock , support wall mount kit , display arm ; .282mm , WSXGA+ 1680x1050 , 300cd/m2 ; contrast ratio - 1000:1 , response time : 3ms , with cable managment ; D-Sub+DVi
BS-090211	<b>R 7,773.55</b>	LS-ATS744 + 4 x LC-S933SN - Aavara TS744 Quattro flip mount 4x lcd stand - 4 independent swing arms , horizontal & vertical shift + 20° swivelable + 20° tilt + 90° rotation pivot for landscape or portrait , with ExperTorque technology , smart cable management , VESA mountin : 100x100 / 75x75mm , support up to 4 x 24"/12Kg - 4 x Samsung 933SN , stylish curve design , glossy black , 18.5" Wide + MagicBright3 + MagicTune , 1360x768 (WXGA+) ; brightness- 300cd/m2 ; DC contrast ratio- 15000:1 , response time- 5ms , 75mm vesa-wall mountable - d-sub

#### compro

BS-090209	<b>R 1,894.79</b>	TT-CV150 + LC-S933SN - COMPRO V150 set-top box , black , pc-free external tv-tuner ( turn your CRT/LCD/PDP/Projector into TV or Game console display ) , support 16:9/16:10 wide screen display , support PiP/PoP/video as desktop , support upto 1440x900/1280x1024 , stereo sound , no FM , with remote control , video in ( s-video+rca ) , audio in ( RCA + 3.5mm ) , built-in speaker ; sleep mode timers - Samsung 933SN , stylish curve design , glossy black , 18.5" Wide + MagicBright3 + MagicTune , 1360x768 (WXGA+) ; brightness- 300cd/m2 ; DC contrast ratio- 15000:1 , response time- 5ms , 75mm vesa-wall mountable - d-sub
BS-090210	<b>R 2,913.04</b>	TT-CV200 + LC-ST220 - COMPRO V200 set-top box , pearl white , pc-free external tv-tuner ( turn your CRT/LCD/PDP/Projector into TV or Game console display ) , support 16:9/16:10 wide screen display , support PiP/PoP/video as desktop , support upto 1680x1050/1600x1200 , stereo sound , no FM , with remote control , video in ( s-video+rca ) , audio in ( RCA + 3.5mm ) , built-in speaker ; sleep mode timers - Samsung T220 , rose black + Touch of Color™ design , 22" Wide + MagicBright3 + MagicTune , 1680x1050 (WSXGA+) ; brightness- 300cd/m2 ; DC contrast ratio- 20000:1 , response time- 2ms (GTG) - d-sub+Dvi - tilt stand

BS-090208	<b>R 4,333.82</b>	TT-CV300 + LC-ST240 - COMPRO V300 set-top box , black , pc-free external tv-tuner ( turn your CRT/LCD/PDP/Projector into TV or Game console display ) , support 16:9/16:10 wide screen display , support PiP/PoP/video as desktop , support upto 1680x1050/1600x1200 , stereo sound , no FM , with remote control , video in ( s-video+rca+component ) , audio in ( RCA + 3.5mm ) ; sleep mode timers - Samsung T240 , rose black + Touch of Color™ design , 24" Wide , 1080P HDCP + MagicBright3 + MagicTune , vesa wall-mountable , 1920x1200 (WUXGA) ; brightness- 300cd/m2 ; DC contrast ratio- 20000:1 , response time- 5ms - d-sub+Dvi+HDMI+USB+SPDiF - tilt+swivel stand
BS-090207	<b>R 5,237.96</b>	TT-CV600 + LC-ST260 - COMPRO V600 set-top box , pearl white , pc-free external tv-tuner with 2D+3D Y/C , ( turn your CRT/LCD/PDP/Projector into TV or Game console display ) , support 16:9/16:10 wide screen display , support PiP/PoP/video as desktop , support upto 1680x1050/1600x1200 , stereo sound , no FM , with remote control , video in ( s-video+rca+component ) , audio in ( RCA + 3.5mm ) ; sleep mode timers - Samsung T260 , rose black + Touch of Color™ design , 25.5" Wide , 1080P HDCP + MagicBright3 + MagicTune , 1920x1200 (WUXGA) ; brightness- 300cd/m2 ; DC contrast ratio- 20000:1 , response time- 5ms - d-sub+Dvi+HDMI+USB+SPDiF - tilt+swivel stand
BS-080421	<b>R 531.70</b>	TT-CE300 + RE-CK100 - Compro K100 remote control for MCE ( Media Center Edition ) , ideal for upgrading vista home premium / ultimate to MCE , 51-keys , with bundled microsoft certified MPEG-2 encoder , reatil pack - usb receiver included - COMPRO videomate E300 , internal pci-express (1x) , stereo sound , tv-tuner+FM , with remote control , conxant chipset , MPEG 1/2/4 encoding , video in ( s-video+rca ) + audio in ; support PiP/PoP/video as desktop , teletext , timeshifting ; bundle software : Ulead photo explorer
BS-080410	<b>R 571.82</b>	TT-CE500 + RE-CK100 - Compro K100 remote control for MCE ( Media Center Edition ) , ideal for upgrading vista home premium / ultimate to MCE , 51-keys , with bundled microsoft certified MPEG-2 encoder , reatil pack - usb receiver included - COMPRO videomate E500 with pc power-up scheduling ( from S3/S4/S5 mode) + pc power on/off on remote ( 37 keys ) , internal pci-express (1x) , stereo sound , tv-tuner+FM , with remote control , conxant chipset , MPEG 1/2/4 encoding , video in ( s-video+ rca+ YCbCr-component 480i/576i ) + audio in ; support PiP/PoP/video as desktop , teletext , timeshifting ; bundle software : Ulead photo explorer , movie factory ...- include low-profile pci bracket

#### Vantec

BS-080924	<b>R 2,026.46</b>	EE-V360SUWP + HD-W1000S32GP - Vantec nexstar3i , nst-360s2i-Wh , 3.5" Sata to Usb2.0 external enclosure , White , with Power management ( saves power + extends hard drive lifetime ) , aluminum with mirror finish - Western Digital CAViAR GP WD10EADS 1000gb/1Tb, S-ata2 , with intellipower ( 5400-7200rpm for powersaveing ) , 32mb cache, 8.9ms - 3 years warranty
BS-080903	<b>R 2,026.46</b>	EE-VD100SUF + HD-S1000S32 - Vantec nexstar hard drive dock , nst-d100-ufs , 2.5" or 3.5" sata to e-Sata + Usb2.0 + Firewire ( ieee1394a ) hdd dock , white , with eject button for easy removal of hard drive - seagate barracuda 7200.11 st31000340as , 1TB/1000gb, s-ata2 , 7200rpm, 32mb cache, 8.5ms - 5 years warrenty
BS-081021	<b>R 2,406.43</b>	EE-VAVoX200S2 + HD-S1000S32 - Vantec AVoX jukebox , avox-200s2 , 3.5" Sata to Usb2.0 external enclosure with OTB , also works as multi-media storage , with built-in control panel + remote control , R+L Audio out + video out ( rca + s-video ) , aluminum with mirror finish - seagate barracuda 7200.11 st31000340as , 1TB/1000gb, s-ata2 , 7200rpm, 32mb cache, 8.5ms - 5 years warrenty
BS-080904	<b>R 3,886.15</b>	EE-V400MXSR + 2x HD-S1000S32 - work as 2Tb ( striped/raid 0 ) or 1Tb ( mirrorred/raid 1 ) or 1Tb+1Tb ( jbod) external HDD - Vantec nexstar-mx , nst-400mx-sr , dual bay ( JBoD , raid 0/1 ) , 2x 3.5" Sata to Usb2.0+e-SATA external enclosure , black , aluminum - 2 x seagate barracuda 7200.11 st31000340as , 1TB/1000gb, s-ata2 , 7200rpm, 32mb cache, 8.5ms - 5 years warrenty

#### iCYdock

BS-090404	<b>R 1,547.44</b>	<p>EE-i559SUSK + MR-i454SPF - ideal for internal bulk storage (4xhdd) + external portable (1x hdd) - hot-swappable</p> <p>- iCYDOCK MB559US-1SB , black , multi-drive exchangeability with hot-swappable removable inner tray , ultra-thin ( 194x142.6x42.6mm ) + anti-shank design , SATA to Usb 2.0+eSATA , 3.5" external enclosure , aluminum , built-in stand , latch-lock , with security slot for cable lock , bundled with external e-SATA adapter ( connect from on board s-ata to pci back plate ) ; Interchangeable tray compatible with external enclosure : MB561S-4S , MB559US , MB559UEA / mobile rack : MB453SPF , MB454SPF , MB455SPF ; support icydock Hybrid external adapter ( e-SATA + ac power connector on pci bracket )</p> <p>- iCYDOCK MB454SPF , 4 x hot-swappable in 3 x 5.25" bay - SATA mobile rack ( ideal for raid 0/1/1E/0+1/10/5/5EE/6 ) , anti-shank design , aluminum , black , latch-lock , with temp. sensor , audio alarm warning , LED indication for Drive activity/overheat/failure + Fan working/failure status ; Interchangeable tray ( EE-iA5XiT or MR-iA45XiT ) compatible with external enclosure : MB561S-4S , MB559US , MB559UEA / mobile rack : MB453SPF , MB454SPF , MB455SPF</p>
BS-090307	<b>R 5,014.75</b>	<p>EE-i559SUSK + MR-i454SPF + 5x HD-S500S16 - ideal for internal bulk storage (4xhdd) + external portable (1x hdd) - hot-swappable</p> <p>- 5x seagate barracuda 7200.11 st3500418as , 500gb, s-ata2 , 7200rpm, 16mb cache, 8.5/9.5ms - 3 years warrenty</p> <p>- iCYDOCK MB559US-1SB , black , multi-drive exchangeability with hot-swappable removable inner tray , ultra-thin ( 194x142.6x42.6mm ) + anti-shank design , SATA to Usb 2.0+eSATA , 3.5" external enclosure , aluminum , built-in stand , latch-lock , with security slot for cable lock , bundled with external e-SATA adapter ( connect from on board s-ata to pci back plate ) ; Interchangeable tray compatible with external enclosure : MB561S-4S , MB559US , MB559UEA / mobile rack : MB453SPF , MB454SPF , MB455SPF ; support icydock Hybrid external adapter ( e-SATA + ac power connector on pci bracket )</p> <p>- iCYDOCK MB454SPF , 4 x hot-swappable in 3 x 5.25" bay - SATA mobile rack ( ideal for raid 0/1/1E/0+1/10/5/5EE/6 ) , anti-shank design , aluminum , black , latch-lock , with temp. sensor , audio alarm warning , LED indication for Drive activity/overheat/failure + Fan working/failure status ; Interchangeable tray ( EE-iA5XiT or MR-iA45XiT ) compatible with external enclosure : MB561S-4S , MB559US , MB559UEA / mobile rack : MB453SPF , MB454SPF , MB455SPF</p>
BS-090309S	<b>R 2,082.89</b>	<p>EE-i663UBS + EE-i663URS + 2x HD-SN250S ( work as 2x 250gb 2.5" external hdd + 1x internal mobile rack/internal docking in 3.5" bay )</p> <p>- 2x seagate momentus 5400.4 st9250827as 250gb, 2.5" , S-ATA2 , support NCQ , 5400rpm, 8mb cache - 3 years warranty</p> <p>- iCYDOCK MB663UB-1S , Silver , 2.5" external enclosure , ultra slim - 13mm , screwless , aluminum , for 2.5" SATA hdd , usb 2.0 ; powered by USB ; with carry bag - also works as innternal tray for MB663UR series external enclosure / mobile rack</p> <p>- iCYDOCK MB663UR-1S , Silver , 2.5" external enclosure / mobile rack , ultra slim - 13mm , also comes with mobilerack frame / docking in 3.5" bay , screwless , aluminum , SATA hdd to usb 2.0 ; powered by USB ; with carry bag - also works MB663UR series external enclosure</p>
BS-090309B	<b>R 2,153.12</b>	<p>EE-i663UBB + EE-i663URB + 2x HD-SN250S ( work as 2x 250gb 2.5" external hdd + 1x internal mobile rack/internal docking in 3.5" bay )</p> <p>- 2x seagate momentus 5400.4 st9250827as 250gb, 2.5" , S-ATA2 , support NCQ , 5400rpm, 8mb cache - 3 years warranty</p> <p>- iCYDOCK MB663UB-1S , Silver , 2.5" external enclosure , ultra slim - 13mm , screwless , aluminum , for 2.5" SATA hdd , usb 2.0 ; powered by USB ; with carry bag - also works as innternal tray for MB663UR series external enclosure / mobile rack</p> <p>- iCYDOCK MB663UR-1S , Silver , 2.5" external enclosure / mobile rack , ultra slim - 13mm , also comes with mobilerack frame / docking in 3.5" bay , screwless , aluminum , SATA hdd to usb 2.0 ; powered by USB ; with carry bag - also works MB663UR series external enclosure</p>
BS-081114	<b>R 3,008.35</b>	<p>CH-IA228MGC + CH-IA228MGR + 2 x HD-S1000S32</p> <p>- 2 x seagate barracuda 7200.11 st31000340as , 1Tb/1000gb, s-ata2 , 7200rpm, 32mb cache, 8.5/9.5ms - 5 years warrenty</p> <p>- iCYDOCK MB228MGC bodyguard , silver - 5.25" universal HDD cooler ( ide/sata/scsi ) + multi-function panel - 2 front USB + 1 x iEEE1394A + 1x fan speed controller , aluminum , with redundant hdd fan for quiteness + realibility , 3 temperature probe sensors , with Lcd display + over-heat temp. audio alarm + yellow LED - silver</p> <p>- iCYDOCK MB228MGR bodyguard , silver - 5.25" universal HDD cooler ( ide/sata/scsi ) + multi-function panel - 4 x fan speed controller , aluminum , with redundant hdd fan for quiteness + realibility , 3 temperature probe sensors , with Lcd display + over-heat temp. audio alarm + yellow LED - silver</p>

BS-090403	<b>R 2,940.63</b>	<p>MR-i453SPF + 3 x HD-S500S16 - ideal for raid up to 0/1/5 ( based on mb raid support ) - in 2x5.25" bay</p> <p>- 3 x seagate barracuda 7200.11 st3500418as , 500gb, s-ata2 , 7200rpm, 16mb cache, 8.5/9.5ms - 3 years warrenty</p> <p>- iCYDOCK MB453SPF , 3 x hot-swappable in 2 x 5.25" bay - SATA mobile rack ( ideal for raid 0/1/1E/5 ) , anti-shank design , aluminum , black , latch-lock , with temp. sensor , audio alarm warning , LED indication for Drive activity/overheat/failure + Fan working/failure status ; Interchangeable tray ( EE-iA5XiT or MR-iA45XiT ) compatible with external enclosure : MB561S-4S , MB559US , MB559UEA / mobile rack : MB453SPF , MB454SPF , MB455SPF</p>
BS-090402	<b>R 3,986.47</b>	<p>MR-i453SPF + 3 x HD-S750S32 - ideal for raid up to 0/1/5 ( based on mb raid support ) - in 2x5.25" bay</p> <p>- 3 x seagate barracuda 7200.11 st3750330as , 750gb, s-ata2 , 7200rpm, 32mb cache, 8.5/9.5ms - 3 years warrenty</p> <p>- iCYDOCK MB453SPF , 3 x hot-swappable in 2 x 5.25" bay - SATA mobile rack ( ideal for raid 0/1/1E/5 ) , anti-shank design , aluminum , black , latch-lock , with temp. sensor , audio alarm warning , LED indication for Drive activity/overheat/failure + Fan working/failure status ; Interchangeable tray ( EE-iA5XiT or MR-iA45XiT ) compatible with external enclosure : MB561S-4S , MB559US , MB559UEA / mobile rack : MB453SPF , MB454SPF , MB455SPF</p>
BS-090318	<b>R 6,394.15</b>	<p>MR-i454SPF + 4 x HD-S1000S32 - ideal for raid up to 0/1/5/0+1/10 ( based on mb raid support ) - in 3x5.25" bay</p> <p>- 4 x seagate barracuda 7200.11 st31000340/33as , 1TB/1000gb, s-ata2 , 7200rpm, 32mb cache, 8.5ms - 3 years warrenty</p> <p>-iCYDOCK MB454SPF , 4 x hot-swappable in 3 x 5.25" bay - SATA mobile rack ( ideal for raid 0/1/1E/0+1/10/5/5EE/6 ) , anti-shank design , aluminum , black , latch-lock , with temp. sensor , audio alarm warning , LED indication for Drive activity/overheat/failure + Fan working/failure status ; Interchangeable tray ( EE-iA5XiT or MR-iA45XiT ) compatible with external enclosure : MB561S-4S , MB559US , MB559UEA / mobile rack : MB453SPF , MB454SPF , MB455SPF</p>
BS-090319	<b>R 10,837.07</b>	<p>MR-i455SPF + 5 x HD-S1500S32 - 7.5Tb in 3x5.25" bay or raid up to 0/1/5/0+1/10 ( based on mb raid support )</p> <p>- 5 x seagate barracuda 7200.11 st31500341as , 1.5TB/1500gb, s-ata2 , 7200rpm, 32mb cache, 8.5ms - 3 years warrenty</p> <p>-iCYDOCK MB455SPF , 5 x hot-swappable in 3 x 5.25" bay - SATA mobile rack ( ideal for raid 0/1/1E/0+1/10/5/5EE/6 ) , anti-shank design , aluminum , black , latch-lock , with temp. sensor , audio alarm warning , LED indication for Drive activity/overheat/failure + Fan working/failure status ; Interchangeable tray ( EE-iA5XiT or MR-iA45XiT ) compatible with external enclosure : MB561S-4S , MB559US , MB559UEA / mobile rack : MB453SPF , MB454SPF , MB455SPF</p>
BS-090405	<b>R 21,018.29</b>	<p>MR-i455SPF + 5 x HD-w2000S32GP - 10Tb in 3x5.25" bay or raid up to 0/1/5/0+1/10 ( based on mb raid support )</p> <p>- 5 x Western Digital CAViAR GP WD20EADS 2000gb/2Tb, S-ata2 , with intellipower ( 5400-7200rpm for powersaveing ) , 32mb cache, 8.9ms - 3 years warranty</p> <p>-iCYDOCK MB455SPF , 5 x hot-swappable in 3 x 5.25" bay - SATA mobile rack ( ideal for raid 0/1/1E/0+1/10/5/5EE/6 ) , anti-shank design , aluminum , black , latch-lock , with temp. sensor , audio alarm warning , LED indication for Drive activity/overheat/failure + Fan working/failure status ; Interchangeable tray ( EE-iA5XiT or MR-iA45XiT ) compatible with external enclosure : MB561S-4S , MB559US , MB559UEA / mobile rack : MB453SPF , MB454SPF , MB455SPF</p>
Antec		
BS-081103	<b>R 3,509.95</b>	<p>CH-AMFR350 + CH-AAVC</p> <p>- Antec Micro Fusion Remote 350 , with built-in IR receiver + MCE remote control , 12cm height slim design , black+silver , desktop HTPC chassis with Display module , dual chamber design with side placed psu ( away from cpu ) ; antec 80plus 350w psu , chassis air guide on side panel , 0.8mm cold-rolled steel construction , 2 front usb+eSATA+ audio in/out ; 1x 5.25" , 1x internal 3.5" in removable hdd cage ; 2 x Tricool 80mm side fan - 3 years warranty on PSU - micro atx only - expansion card required to be low-profile</p> <p>- Antec AV cooler - stackable , ideal for HTPC or other AV equipment , carbon-glass structure with aluminum top deck , 4.6x43x36cm , with 2 1200/1600rpm fans , 5.5/8.0CFM , 22.5/28.7dBA</p>

BS-080701	<b>R 1,378.15</b>	CH-A900WN + 2x120mm blue led fan + FA-ASC - Antec 900 (Nine Hundred) with windowed side panel , black , no psu , bottom placed PSU , front access to washable fan filters ; 2 x front usb + 1 x ieee1394 + audio in/out - 3/6 x 5.25" , 6/3 x 3.5" hdd , 2 front loaded HDD cages - top-mounted 200mm tri-cool fan + 2 x front 120mm tricool blue led fan + 1 x rear 120mm tri-cool fan upto 6 , quick-release drive cages with rubber grommets , with accessories tray on top - 2 x 120mm bLue led fan - Antec Spot Cool with Blue LED , mounted onto motherboard/chassis standard screw mounting , flexible and angle adjustable for any place on the motherboard area - 3 level fan speed -2000 / 2500 / 3000rpm , 15 / 18 / 22 CFM , 23 / 27 / 33 dBA
BS-080630	<b>R 1,879.75</b>	CH-A1200WN + 2x120mm blue led fan + FA-ASC - Antec 1200 ( Twelve Hundred ) with windowed side panel , black , no psu , bottom placed PSU , front access to washable fan filters ; 2 x front usb + 1 x e-sata + audio in/out - 3 x 5.25" , 9 x internal 3.5" hdd , built-in 4 x rear switched fan controller + 2 x front fan speed controller knob on the chassis ; top-mounted 200mm tri-cool fan + 3 x front 120mm tricool blue led fan + 2 x rear 120mm tri-cool fan upto 8 , quick-release drive cages with rubber grommets , with accessories tray on top - 2 x 120mm bLue led fan - Antec Spot Cool with Blue LED , mounted onto motherboard/chassis standard screw mounting , flexible and angle adjustable for any place on the motherboard area - 3 level fan speed -2000 / 2500 / 3000rpm , 15 / 18 / 22 CFM , 23 / 27 / 33 dBA
BS-080329S	<b>R 1,378.15</b>	CH-ANSK4480 + KE-EAS - Antec New Solution series NSK4480 , black + silver , antec earthwatts 380w psu ( 80Plus certified ) , chassis air guide on side panel , 0.8mm cold-rolled steel construction , 2 front usb ; 3x 5.25" , 2x 3.5" , 3x internal 3.5" ; 1 x Tricool 120mm rear fan upto 3 - Enermax Aurora aluminum kb , Silver , heavy duty with audio in/out for headset , 2 x usb downstream hub , hairline brushed aluminum design , leading responsive scissors keys , blue LED indicator , ultra-flat , zero-degree tilt , extended wrist rest , polish towel included - usb
BS-080329B	<b>R 1,378.15</b>	CH-ANSK4480B + KE-EAB - Antec New Solution series NSK4480B , black , antec earthwatts 380w psu ( 80Plus certified ) , chassis air guide on side panel , 0.8mm cold-rolled steel construction , 2 front usb ; 3x 5.25" , 2x 3.5" , 3x internal 3.5" ; 1 x Tricool 120mm rear fan upto 3 - Enermax Aurora aluminum kb , Black , heavy duty with audio in/out for headset , 2 x usb downstream hub , hairline brushed aluminum design , leading responsive scissors keys , blue LED indicator , ultra-flat , zero-degree tilt , extended wrist rest , polish towel included - usb
BS-080827	<b>R 1,252.75</b>	CH-ANSK3480 + KE-EAS - Antec New Solution series NSK3480 , with dual-chamber structure , black + silver , antec 380w HE SFX active PFC psu , chassis air guide on side panel , 0.8mm cold-rolled steel construction , 2 front usb + audio in/out + ieee1394 ; 2x 5.25" , 1x 3.5" , 1x internal 3.5" ; 1 x Tricool 120mm rear fan upto 3 - 3 years warranty on PSU - for micro atx only - Enermax Aurora aluminum kb , Silver , heavy duty with audio in/out for headset , 2 x usb downstream hub , hairline brushed aluminum design , leading responsive scissors keys , blue LED indicator , ultra-flat , zero-degree tilt , extended wrist rest , polish towel included - usb

#### Sunix

BS-080718	<b>R 1,127.35</b>	VS-SHDM521C + CA-SDH2 + CA-SHH3 - Sunix HDMS21C - 2 port HDMI video switch ( for audio + video ) with remote control , support HDCP , HDMI ver1.3 , HD Dolby + DTS-HD master audio , bandwidth : 340Mhz/10.2Gbps , 30/36/48bit color - for PS3 , PC , HD/Blu-ray dvd player .. ETC - Sunix DTHGP2M - DVI to HDMI cable , for video - 2m - Sunix HTHGP3M - HDMI to HDMI cable , carry video+audio signal - 3m
-----------	-------------------	---

#### Zalman

BS-080509	<b>R 645.81</b>	PR-ZMP1000 + MO-ZFG1000 Zalman MP1000 gaming mouse pad , high density poly jersey for smooth and slick finish , 400x300x3mm - retail pack Zalman FG1000 FPSGUN gaming mouse , gun type design optimized for FPS Gaming ; front located optical sensor allowing large/quick manipulation from small hand movements , on-the-fly switching 400/800/1600/2000dpi optical with different color led , 6400 FPS , 40iPS ( Inch Per Sec ) , 15G acceleration , 16bit ultra-data path , OMRON trigger buttons , 5 programable buttons , non-slip rubberized - usb - retail pack
-----------	-----------------	---

#### Razer

BS-090406

**R 1,252.75**

Mo-RBS + HS-RP

- Razer BoomSlang Collector Edition 2007 , limited qty of 10000 units worldwide with unique serial coard  
+ exclusive certificate of ownership , black with green led , 32k on-board memory support upto 5 game  
profile , 1800dpi 3G optical , 7800 FPS , 7 MegaPixel/sec , 1000hz ultrapooling , 1ms response time , non-  
slip 7 buttons ( independently programable ) , always-on instant response , Zero-Acoustic Ultraslick Teflon  
feet - usb - metal collector retail pack  
- Razer Piranha gaming communicator - headset with noise-filtering mic , in-line control with volume  
Control , 3.5mm